

| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|------------------|------|--------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date _ | | (YYYY/MM/DD) |

CELLULAR THERAPIES

--- Day 100, 6 Months, Annual & Unscheduled Follow-Up ---

| SURVIVAL STATUS | | | |
|---|---|--|--|
| Date of follow-up//(YYYY/MM/DD) (if died: date of death, if lost to follow up: date last seen) Survival status: Alive Dead Lost to follow-up Assessment period covered by this report: Day 100 | | | |
| ☐ 6 Months | | | |
| Annual or unscheduled follow-up | | | |
| Main cause of death: (check only one main cause) | | | |
| Relapse or progression/persistent disease | | | |
| Secondary malignancy | | | |
| ☐ CT-related | Select treatment related cause: (select all that apply) Graft versus Host Disease Non-infectious complication Infectious complication: | | |
| ☐ HCT-related | (select all that apply) ☐ Bacterial infection | | |
| ☐ GT-related | ☐ Viral infection ☐ Fungal infection | | |
| ☐ IST-related | ☐ Parasitic infection ☐ Infection with unknown pathogen | | |
| Unknown | | | |
| Other; specify: | | | |
| Was an autopsy performed? No Yes Unknown | | | |
| BEST RESPONSE Complete only for Day 100 and 6 Months Follow-Up. Not applicable for Inborn Errors | | | |
| Best clinical/biological response after this CT* (observed before Date best response first observed://(YYYY/M | | | |

^{*} Indicate the best clinical/biological response after CT corresponding to indication diagnosis for CT was given by selecting from the list provided in Appendix 1



| Patient Number in EBMT Registry: | Treatment Date / (YYYY/MM/DD) |
|--|-------------------------------|
| Hospital Unique Patient Number (UPN): | |
| EBMT Centre Identification Code (CIC): | Treatment Type |

BEST RESPONSE continued

If the indication was the $\underline{\text{treatment of complication derived from a previous transplant/cellular therapy}}$:

| GvHD | Resolved | ☐ Improved | ☐ No response ☐ Progressed | ☐ Not evaluated |
|----------------------|----------|------------|----------------------------|-----------------|
| Graft failure | Resolved | ☐ Improved | ☐ No response ☐ Progressed | ☐ Not evaluated |
| Immune reconsitution | Resolved | ☐ Improved | ☐ No response ☐ Progressed | ☐ Not evaluated |
| Infection | Resolved | ☐ Improved | ☐ No response ☐ Progressed | ☐ Not evaluated |

CT_FU_v2.2 2 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type | □ст | | |
|--|----------------|-----|---|--------------|
| Hospital Unique Patient Number (UPN): | | | | |
| Patient Number in EBMT Registry: | Treatment Date | 1 | 1 | (YYYY/MM/DD) |

RECOVERY

| Complete only for Day 100 F | Follow-Up and 6 Months Follow-up. | | |
|--|---|---|-------------------------------|
| If the recovery occurred before 100 da | ays and was reported at Day 100 Follow-up th | ne section can be skipped at 6 N | Months Follow-up. |
| · | (ANC) recovery (neutrophils $\geq 0.5 \times 10^9$ | | |
| _ | assessment:// (YYY | • | |
| Yes: Date of ANC re (first of 3 consecutive | covery: / / (YYYY/MM e values after 7 days without transfusio | l/DD) on containing neutrophils) | |
| □ Never below | | | |
| ☐ Not evaluated | | | |
| Unknown | | | |
| Platelet reconstitution (plat | elets ≥ 20x10 ⁹ /L:): | | |
| ☐ No: Date of the last | assessment:// (YYY | Y/MM/DD) 🔲 Unk | nown |
| | reconstitution: / / (YY utive values after 7 days without platel | | nown |
| □ Never below | | | |
| ☐ Not evaluated | | | |
| ☐ Unknown | | | |
| Date of the last platelet trai | nsfusion: / / (YYYY/Mi | M/DD) \square Not applicable (not transfused | () Unknown |
| Was B-cell count monitored duri | na this follow-up period ? | | |
| □ No | | | |
| Yes: Was there a B-cell recov | ery? | | |
| ☐ No: Date of the last a | assessment: / / (YYYY | //MM/DD) | |
| ☐ Yes: Date of the <u>first</u> | B-cell recovery:/// Y | YYY/MM/DD) <mark>(If the recov</mark> | ery was reported on the last |
| ☐ Unknown | | follow-up , th | nis question can be skipped.) |
| Unknown | | | |
| | CURRENT HAEMATOLOGIC | CAL FINDINGS | |
| Hb | g/dL | ☐ Not evaluated | ☐ Unknown |
| П | g/uL | | |
| Platelets | 10 ⁹ /L | ☐ Not evaluated | ☐ Unknown |
| Were platelets transfuse | d within 7 days before assessment? | ☐ No ☐ Yes | ☐ Unknown |
| White blood cells | 10 ⁹ /L | ☐ Not evaluated | Unknown |
| Lymphocytes | % | ☐ Not evaluated | ☐ Unknown |
| Neutrophils | % | ☐ Not evaluated | Unknown |
| | | | |

CT_FU_v2.2 3 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type 🔲 C | Т | | |
|--|--------------------|---|---|--------------|
| Hospital Unique Patient Number (UPN): | _ | | | |
| Patient Number in EBMT Registry: | Treatment Date | 1 | 1 | (YYYY/MM/DD) |

-- GvHD --

Do not report complications that were resolved <u>before</u> this cellular therapy.

Do not report complications that were previously reported as resolved, unless they recurred

| Do not report complications that were previously reported as resolved, unless they recurred. |
|--|
| Did graft versus host disease (GvHD) occur during this follow-up period? |
| ☐ No (proceed to 'Complications since the last report - Non-infectious complications') |
| Yes: Did the patient receive a systemic/immunosuppressive treatment for GvHD during this follow-up period? |
| Yes: Started in this follow-up period; Date treatment started: //(<i>YYYY/MM/DD</i> Unknown |
| Ongoing since previous follow-up |
| Treatment stopped: No Yes; Stop date of treatment://(YYYY/MM/DD) Unknown Unknown |
| ☐ Unknown |
| Unknown (proceed to 'Complications since the last report - Non-infectious complications') |
| |
| Did acute GvHD occur during this follow-up period? |
| □ No |
| ☐ Yes: ☐ Started in this follow-up period; Date of onset: //(YYYY/MM/DD)☐ Unknown |
| ☐ Ongoing since previous follow-up |
| Maximum observed organ severity score during this period: |
| Skin: 0 (none) 1 2 3 4 Not evaluated Unknown |
| Liver: 0 (none) 1 2 3 4 Not evaluated Unknown |
| Lower GI tract: 0 (none) 1 2 3 4 Not evaluated Unknown |
| Upper GI tract: 0 (none) 1 2 3 4 Not evaluated Unknown |
| Other site affected: No Yes; specify: |
| Overall maximum grade observed during this period: 1 2 3 4 Not evaluated Unknown |
| Steroid-refractory acute GvHD: ☐ No |
| Yes: Started in this follow-up period; Date of onset:// (YYYY/MM/DD) |
| ☐ Ongoing since |
| previous follow-up Unknown |
| aGvHD resolved: ☐ No ☐ Yes; Date of aGvHD resolution: / (YYYY/MM/DD) ☐ Unknown ☐ Unknown |
| ☐ Unknown |

CT_FU_v2.2 4 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type CT |
|--|-------------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / _ / _ (YYYY/MM/DD) |

| COMPLICATIONS SINCE T | HE I AST DEDODT | continued |
|-----------------------|-----------------|-----------|
| COMPLICATIONS SINCE I | IIL LASI KLEUKI | Continueu |

| GvHD | | | | | |
|--|--|-------------------------|-------------|--|--|
| Did chronic GvHD occur during this follow-up per | iod? | | | | |
| □ No | | | | | |
| Yes: Started in this follow-up period; Date of Ongoing since previous follow-up | onset: / / | _(YYYY/MM/DD) | | | |
| Maximum NIH score during <u>this period</u> : | ☐ Mild ☐ Moderate ☐ Severe ☐ Unknown ☐ Not evaluated | | | | |
| Date of maximum NIH score:/_ | _ / (YYYY/MM/DD) | Unknown | | | |
| Maximum observed organ severity score | during <u>this period</u> : | | | | |
| Skin: 0 (none) 1 | 2 3 | 4 Not evaluated | ☐ Unknown | | |
| Oral: 0 (none) 1 | 2 3 | ☐ 4 ☐ Not evaluated | ☐ Unknown | | |
| Gastrointestinal: \square 0 (none) \square 1 | □ 2 □ 3 | 4 Not evaluated | ☐ Unknown | | |
| Eyes: 0 (none) 1 | □ 2 □ 3 | ☐ 4 ☐ Not evaluated | ☐ Unknown | | |
| Liver: 0 (none) 1 | □ 2 □ 3 | ☐ 4 ☐ Not evaluated | ☐ Unknown | | |
| Joints and fascia: \square 0 (none) \square 1 | ☐ 2 ☐ 3 | ☐ 4 ☐ Not evaluated | ☐ Unknown | | |
| Lungs: 0 (none) 1 | □ 2 □ 3 | ☐ 4 ☐ Not evaluated | ☐ Unknown | | |
| Genitalia: \square 0 (none) \square 1 | □ 2 □ 3 | ☐ 4 ☐ Not evaluated | ☐ Unknown | | |
| Other site affected: No Y | es; specify: | | | | |
| Staroid refrectors chronic CullD. No | | | | | |
| Steroid-refractory chronic GvHD: No | Started in this follow-up period; | Date of onset:// | YYYY/MM/DD) | | |
| | Ongoing since previous follow-up | | | | |
| ☐ Unkno | own | | | | |
| cGvHD resolved: ☐ No | | | | | |
| _ | HD resolution: | //(<i>YYYY/MM/DD</i>) | n | | |
| ☐ Unknown | | | | | |
| _ Officiowit | | | | | |
| Was overlap syndrome observed: (features of both chronic and acute GvHD) | ☐ No ☐ Yes ☐ | Unknown | | | |
| Unknown | | | | | |

CT_FU_v2.2 5 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|------------------|------|----------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date _ | // | _ (YYYY/MM/DD) |

COMPLICATIONS SINCE THE LAST REPORT -- Non-infectious complications --Do not report complications that were resolved before this cellular therapy. Do not report complications that were previously reported as resolved, unless they recurred. Did non-infectious complications occur during the follow-up period? ☐ No (proceed to 'Complications since the last report - Infectious complications') Yes (report in the table below) Cytokine release syndrome (CRS) Complication observed during this follow-up period?

No ☐ Unknown Maximum grade observed during this period: 1 2 3 4 5 (fatal) Unknown ASTCT consensus (Lee 2019) **Grading system:** ☐ Penn ☐ CTCAE ☐ Lee 2014 Other; specify: _____ Only if newly developed Onset date (YYYY/MM/DD): ____/ _ Unknown Resolved: ☐ No ☐ Yes; Stop date (YYYY/MM/DD): ____/ _ ☐ Unknown ☐ Unknown IEC-associated neurotoxicity syndrome (ICANS) **Complication observed during this follow-up period?** ☐ No $\ \ \square$ Yes: $\ \square$ Newly developed $\ \square$ Ongoing since previous assessment Unknown Maximum grade observed during this period: \Box 1 \Box 2 \Box 3 \Box 4 \Box 5 (fatal) \Box Unknown Grading system: ASTCT consensus (Lee 2019) ☐ CTCAE ☐ Lee 2014 Other; specify: _____ Onset date (YYYY/MM/DD): ____/__ Unknown Only if newly developed Resolved: No Yes; Stop date (YYYY/MM/DD): ____/ _ Unknown

* Grade 0-2

☐ Unknown

CT_FU_v2.2 6 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|------------------|------|---------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date _ | // | _(YYYY/MM/DD) |

| COMPLICATIONS | SINCE | THE LAST | REPORT |
|---------------|-------|----------|--------|
| | | | |

-- Non-infectious complications --Other neurotoxicity observed during this follow-up period?

No* ☐ Yes:☐ Newly developed ☐ Ongoing since previous assessment Specify: ☐ Unknown Maximum CTCAE grade observed during this period: 3 □ 4 ☐ 5 (fatal) ☐ Unknown Onset date (YYYY/MM/DD): ____/ __/ ☐ Unknown Only if newly developed Resolved: ☐ No Yes; Stop date (YYYY/MM/DD): ____/ _ Unknown ☐ Unknown **Macrophage activation syndrome (MAS)** Complication observed during this follow-up period? ☐ No* ☐ Yes: ☐ Newly developed ☐ Ongoing since previous assessment ☐ Unknown Maximum CTCAE grade observed during this period: \square 3 □ 4 ☐ 5 (fatal) ☐ Unknown Onset date (YYYY/MM/DD): ____/ _ Unknown Only if newly developed Resolved: ☐ No ☐ Yes; Stop date (YYYY/MM/DD): ____/ _ ☐ Unknown ☐ Unknown Secondary haemophagocytic lymphohistiocytosis **Complication observed during this follow-up period?** ☐ No ☐ Yes: ☐ Newly developed ☐ Ongoing since previous assessment ☐ Unknown ☐ 5 (fatal) ☐ Unknown Maximum CTCAE grade observed during this period: 3 □ 4 Onset date (YYYY/MM/DD): _ _ _ / _ / _ Unknown Only if newly developed Resolved: ☐ No Yes; Stop date (YYYY/MM/DD): ____/ Unknown ☐ Unknown Organ toxicity: skin **Complication observed during this follow-up period?** ☐ No ☐ Yes: ☐ Newly developed ☐ Ongoing since previous assessment ☐ Unknown **Maximum CTCAE grade observed during this period:** 3 4 ☐ 5 (fatal) ☐ Unknown Onset date (YYYY/MM/DD): ____/ __ Unknown

Resolved: ☐ No

☐ Unknown

Yes; Stop date (YYYY/MM/DD): ____/ _ Unknown

Only if newly developed



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|------------------|------|----------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date _ | // | _ (YYYY/MM/DD) |

| COM EIGHTIONS ON THE ENGINEE ON | COMPLICATIONS | SINCE | THE LAST | REPORT |
|---------------------------------|---------------|-------|----------|--------|
|---------------------------------|---------------|-------|----------|--------|

-- Non-infectious complications --

| Organ toxicity: liver | | |
|---|-------------------------------|--|
| Complication observed during this follow-up period? | | |
| | | oped Ongoing since previous assessment |
| | Unknown | |
| Maximum CTCAE grade observed during this period: Onset date $(YYYY/MM/DD)$:// Unlike the content of th | | ☐ 5 (fatal) ☐ Unknown Only if newly developed |
| Resolved: No | | , |
| Yes; Stop date (YYYY/MM/DD): | .// Unknown | |
| Unknown | | |
| Organ toxicity: lung | | |
| Complication observed during this follow-up period? | □ No* | |
| | _ _ | oped Ongoing since previous assessment |
| | Unknown | |
| Maximum CTCAE grade observed during this period | <u>.</u> 3 4 | <u> </u> |
| Onset date (YYYY/MM/DD):/ Ur Resolved: ☐ No | known | Only if newly developed |
| ☐ Yes; Stop date (YYYY/MM/DD): | _// Unknowr | ı |
| ☐ Unknown | | |
| Organ toxicity: heart | | |
| Complication observed during this follow-up period? | ☐ No* | |
| | | oped Ongoing since previous assessment |
| | ☐ Unknown | ☐ 5 (fatal) ☐ Unknown |
| Maximum CTCAE grade observed during this period | <u>:</u> L 3 L 4 | 3 (lata) Olikilowii |
| | known | Only if newly developed |
| Resolved: No | | |
| ☐ Yes; Stop date (YYYY/MM/DD): | _// Unknowr | 1 |
| ☐ Unknown | | |
| Organ toxicity: kidney | | |
| Complication observed during this follow-up period? | ☐ No* | |
| | ☐ Yes: ☐ Newly devel☐ Unknown | oped Ongoing since previous assessment |
| Maximum CTCAE grade observed during this period: | 3 4 | ☐ 5 (fatal) ☐ Unknown |
| | known | Only if newly developed |
| Resolved: No | | |
| ☐ Yes; Stop date (<i>YYYY/MM/DD</i>): | .//_ Unknown | |
| ☐ Unknown | | |

* Grade 0-2



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст |
|--|------------------|-----------------|
| Hospital Unique Patient Number (UPN): | | |
| Patient Number in EBMT Registry: | Treatment Date _ | // (YYYY/MM/DD) |

-- Non-infectious complications --

| Organ toxicity: gastrointestinal |
|---|
| Complication observed during this follow-up period? No* |
| ☐ Yes: ☐ Newly developed ☐ Ongoing since previous assessment☐ Unknown |
| Maximum CTCAE grade observed during this period: ☐ 3 ☐ 4 ☐ 5 (fatal) ☐ Unknown |
| Onset date (YYYY/MM/DD):/ _ Unknown Only if newly developed Resolved: No |
| ☐ Yes; Stop date (YYYY/MM/DD): / ☐ Unknown ☐ Unknown |
| Other organ toxicity observed during this follow-up period? No* |
| Organ specify: |
| Maximum CTCAE grade observed during this period: □ 3 □ 4 □ 5 (fatal) □ Unknown Onset date (YYYY/MM/DD): □ 1 |
| Yes; Stop date (YYYY/MM/DD):/ Unknown |
| Unknown |
| Tumour lysis syndrome |
| Complication observed during this follow-up period? |
| Maximum CTCAE grade observed during this period: ☐ 3 ☐ 4 ☐ 5 (fatal) ☐ Unknown |
| Onset date (YYYY/MM/DD): / Unknown Only if newly developed Resolved: No |
| ☐ Yes; Stop date (<i>YYYY/MM/DD</i>):/ |
| B-cell aplasia |
| Complication observed during this follow-up period? |
| % B-cells: Not evaluated |
| Onset date (YYYY/MM/DD):/ Unknown Only if newly developed |
| Resolved: |
| Unknown |

CT_FU_v2.2 9 of 32 2025-06-04

^{*} Grade 0-2



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|------------------|------|--------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date _ | // | (YYYY/MM/DD) |

| COMPLICATIONS SINCE THE LAST REPORT Non-infectious complications | | | | |
|--|--|--|--|--|
| Bone marrow aplasia | | | | |
| Complication observed during this follow-up period? No Yes: Newly developed Ongoing since previous assessment Unknown | | | | |
| Onset date (YYYY/MM/DD): / Unknown Only if newly developed | | | | |
| Resolved: No | | | | |
| ☐ Yes; Stop date (YYYY/MM/DD):/ _ ☐ Unknown | | | | |
| ☐ Unknown | | | | |
| Hypogammaglobulinemia | | | | |
| Complication observed during this follow-up period? No* | | | | |
| ☐ Yes: ☐ Newly developed ☐ Ongoing since previous assessment☐ Unknown | | | | |
| Was it also present at time of the cellular therapy? | | | | |
| ☐ Yes: Was it worsened by the cellular therapy? ☐ No | | | | |
| Onset date (YYYY/MM/DD):/ Unknown Only if newly developed Yes | | | | |
| Resolved: No | | | | |
| Yes; Stop date (YYYY/MM/DD): / _ Unknown | | | | |
| Unknown | | | | |
| Exacerbation of existing neurological disorder observed during this follow-up period? ☐ No* ☐ Yes: ☐ Newly developed ☐ Ongoing since previous assessment ☐ Unknown | | | | |
| Specify: Griding Griding | | | | |
| Maximum CTCAE grade observed during this period: 3 4 5 (fatal) Unknown | | | | |
| Onset date (YYYY/MM/DD): / Unknown Only if newly developed | | | | |
| Resolved: No | | | | |
| ☐ Yes; Stop date (<i>YYYY/MM/DD</i>): / ☐ Unknown | | | | |
| Unknown | | | | |
| Other complication observed during this follow-up period? No* | | | | |
| Yes: Newly developed previous assessment Unknown | | | | |
| Specify: Consult appendix 4 for a list of complications that should not be reported | | | | |
| (Indicate CTCAE term) Maximum CTCAE grade observed during this period: 3 | | | | |
| Maximum CTCAE grade observed during this period: ☐ 3 ☐ 4 ☐ 5 (fatal) ☐ Unknown Onset date (YYYY/MM/DD): / / ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ | | | | |
| Onset date (YYYY/MM/DD): / Unknown Only if newly developed Resolved: □ No | | | | |
| ☐ Yes; Stop date (<i>YYYY/MM/DD</i>):/ | | | | |
| Unknown | | | | |

*Grade 0-2

If more other complications occurred, copy and fill-in this table as many times as necessary.

CT_FU_v2.2 10 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|----------------|------|--------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date | | (YYYY/MM/DD) |

| COMPI | ICATIONS | SINICE | THE | LOCT | DEDOD | т |
|-------|----------|--------|-----|------|-------|---|

| | ntec | tious | comp | lıca | tions | |
|--|------|-------|------|------|-------|--|
|--|------|-------|------|------|-------|--|

| Do not report infections that were already reported as resolved on the previous assessment and did not reoccur. Did infectious complications occur during the follow-up period? No Consult appendix 4 for a list of complications that should not be reported | |
|---|--|
| Yes (report all infection-related complications below) | |
| Bacterial infection: No Yes 1) New or ongoing: Newly developed Ongoing since previous assessment Start date://_(YYYY/MM/DD) only if newly developed Gram-positive Gram-negative Other Pathogen*: | |
| Infection with clinical implications: No Yes: (select all that apply during this period) Symptoms/signs of disease | |
| Administration of pathogen-directed therapy | |
| Unknown Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)**: | |
| Localisation 2 (CTCAE term)**: | |
| Localisation 3 (CTCAE term)**: | |
| Intravascular catheter-related infection: No | |
| Yes; specify***: | |
| ☐ Unknown Resolved: ☐ No ☐ Yes ☐ Unknown | |
| Resolved: No Yes Unknown (if patient died) Contributory cause of death: No Yes Unknown | |
| 2) New or ongoing: Newly developed Ongoing since previous assessment Start date://(YYYY/MM/DD) only if newly developed Gram-positive Gram-negative Other Pathogen*: | |
| Infection with clinical implications: No Yes: (select all that apply during this period) Symptoms/signs of disease | |
| ☐ Administration of pathogen-directed therapy | |
| Unknown Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)**: | |
| Localisation 2 (CTCAE term)**: | |
| Localisation 3 (CTCAE term)**: | |
| Intravascular catheter-related infection: No | |
| Yes; specify***: | |
| ☐ Unknown Resolved: ☐ No ☐ Yes ☐ Unknown (if patient died) Contributory cause of death: ☐ No ☐ Yes ☐ Unknown | |
| If more than 2 bacterial infections, copy and fill-in this table as many times as necessary. | |
| * Indicate the pathogen and sub-type (if applicable) by choosing from the list of pathogens provided in Appendix 2 | |

CT_FU_v2.2 2025-06-04 11 of 32

^{**} Indicate CTCAE term by choosing from the list provided in Appendix 3
*** If intravascular catheter-related infection, specify it by choosing from the list provided in Appendix 5



| EBMT Centre Identification Code (CIC): | Treatment Type | ☐ CT | |
|--|----------------|------|--------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date | 1 1 | (YYYY/MM/DD) |

-- Infectious complications -- continued

| 'iral infection: No Yes |
|--|
| 1) New or ongoing: Newly developed Ongoing since previous assessment |
| Start date: / / (YYYY/MM/DD) only if newly developed |
| Pathogen*: |
| If the pathogen was CMV/EBV: Was this infection a reactivation? No Yes |
| Infection with clinical implications: No Yes: (select all that apply during this period) Symptoms/signs of disease |
| ☐ Administration of pathogen-directed therapy ☐ Unknown |
| Indicate at least 1 location involved during this period: |
| Localisation 1 (CTCAE term)**: |
| Localisation 2 (CTCAE term)**: |
| Localisation 3 (CTCAE term)**: |
| Resolved: No Yes Unknown |
| (if patient died) Contributory cause of death: No Yes Unknown |
| 2) New or ongoing: Newly developed Ongoing since previous assessment |
| Start date: / (YYYY/MM/DD) only if newly developed |
| Pathogen*: |
| If the pathogen was CMV/EBV: Was this infection a reactivation? No Yes |
| Infection with clinical implications: No Yes: (select all that apply during this period) |
| Symptoms/signs of disease |
| ☐ Administration of pathogen-directed therapy ☐ Unknown |
| Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)**: |
| Localisation 2 (CTCAE term)**: |
| Localisation 3 (CTCAE term)**: |
| Resolved: No Yes Unknown |
| (if patient died) Contributory cause of death: No Yes Unknown |
| If more than 2 viral infections, copy and fill-in this table as many times as necessary. |

^{**} Indicate CTCAE term by choosing from the list provided in Appendix 3

^{***} If intravascular catheter-related infection, specify it by choosing from the list provided in Appendix 5



| EBMT Centre Identification Code (CIC): | Treatment Type | □СТ | |
|--|------------------|-----|----------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date _ | // | _ (YYYY/MM/DD) |

| COMPLICATIONS SINCE THE LAST REPORT Infectious complications continued |
|---|
| Fungal infection: No Yes |
| 1) New or ongoing: Newly developed Ongoing since previous assessment Start date://_(YYYY/MM/DD) only if newly developed Yeasts Moulds Pathogen*: |
| Infection with clinical implications: |
| Yes: (select all that apply during this period) Symptoms/signs of disease |
| |
| ☐ Administration of pathogen-directed therapy ☐ Unknown Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)**: |
| Localisation 2 (CTCAE term)**: |
| Localisation 3 (CTCAE term)**: |
| Intravascular catheter-related infection: No Yes; specify***: Unknown |
| Resolved: No Yes Unknown (if patient died) Contributory cause of death: No Yes Unknown |
| 2) New or ongoing: |
| Infection with clinical implications: No Yes: (select all that apply during this period) |
| Symptoms/signs or disease |
| ☐ Administration of pathogen-directed therapy ☐ Unknown Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)**: |
| Localisation 2 (CTCAE term)**: |
| Localisation 3 (CTCAE term)**: |
| Intravascular catheter-related infection: No Yes; specify***: Unknown |
| Resolved: No Yes Unknown (if patient died) Contributory cause of death: No Yes Unknown |
| If more than 2 fungal infections, copy and fill-in this table as many times as necessary. |

^{*} Indicate the pathogen and sub-type (if applicable) by choosing from the list of pathogens provided in Appendix 2

^{**} Indicate CTCAE term by choosing from the list provided in Appendix 3 $\,$

^{***} If intravascular catheter-related infection, specify it by choosing from the list provided in Appendix 5



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|----------------|------|--------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date | 1 1 | (YYYY/MM/DD) |

-- Infectious complications -- continued

| Parasitic infection: No Yes |
|---|
| 1) New or ongoing: Newly developed Ongoing since previous assessment |
| Start date://(YYYY/MM/DD) only if newly developed Protozoa Helminths Pathogen*: |
| Infection with clinical implications: |
| Yes: (select all that apply during this period) |
| ☐ Symptoms/signs or disease |
| Administration of pathogen-directed therapy |
| ☐ Unknown Indicate at least 1 location involved during this period: |
| Localisation 1 (CTCAE term)**: |
| Localisation 2 (CTCAE term)**: |
| Localisation 3 (CTCAE term)**: |
| Resolved: ☐ No ☐ Yes ☐ Unknown |
| (if patient died) |
| Contributory cause of death: No Yes Unknown |
| |
| 2) New or ongoing: Newly developed Ongoing since previous assessment Start date:// (YYYY/MM/DD) only if newly developed Protozoa Helminths Pathogen*: |
| Infection with clinical implications: |
| ☐ Yes: (select all that apply during this period) ☐ Symptoms/signs or disease |
| |
| Administration of pathogen-directed therapy |
| ☐ Unknown Indicate at least 1 location involved during this period: |
| Localisation 1 (CTCAE term)**: |
| Localisation 2 (CTCAE term)**: |
| Localisation 3 (CTCAE term)**: |
| Resolved: No Yes Unknown (if patient died) Contributory cause of death: No Yes Unknown |
| |
| If more than 2 parasitic infections, copy and fill-in this table as many times as necessary. |

 $^{^{\}star}$ Indicate the pathogen and sub-type (if applicable) by choosing from the list of pathogens provided in Appendix 2

^{**} Indicate CTCAE term by choosing from the list provided in Appendix 3

^{***} If intravascular catheter-related infection, specify it by choosing from the list provided in Appendix 5



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|------------------|------|----------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date _ | //_ | _ (YYYY/MM/DD) |

-- Infectious complications -- continued

| 1) New or ongoing: Newly developed Ongoing since previous assessment Start date:/ / (YYYY/MM/DD) only if newly developed Infection with clinical implications: No | |
|---|--|
| Infection with clinical implications: No | |
| Yes: (select all that apply during this period) Symptoms/signs or disease Administration of pathogen-directed therapy Unknown Unknown Localisation 1 (CTCAE term)*: Localisation 2 (CTCAE term)*: Localisation 3 (CTCAE term)*: Intravascular catheter-related infection: No | |
| Administration of pathogen-directed therapy Unknown Unknown | |
| Unknown Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)*: Localisation 2 (CTCAE term)*: Localisation 3 (CTCAE term)*: Intravascular catheter-related infection: Yes; specify**: Unknown Resolved: No Yes Unknown (if patient died) | |
| Unknown Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)*: Localisation 2 (CTCAE term)*: Localisation 3 (CTCAE term)*: Intravascular catheter-related infection: Yes; specify**: Unknown Resolved: No Yes Unknown (if patient died) | |
| Localisation 1 (CTCAE term)*: Localisation 2 (CTCAE term)*: Localisation 3 (CTCAE term)*: Intravascular catheter-related infection: No Yes; specify**: | |
| Localisation 2 (CTCAE term)*: Localisation 3 (CTCAE term)*: Intravascular catheter-related infection: Yes; specify**: Unknown Resolved: No Yes Unknown (if patient died) | |
| Localisation 3 (CTCAE term)*: Intravascular catheter-related infection: No Yes; specify**: Unknown Resolved: No Yes Unknown (if patient died) | |
| Yes; specify**: Unknown Resolved: No Yes Unknown (if patient died) | |
| Yes; specify**: Unknown Resolved: No Yes Unknown (if patient died) | |
| Unknown Resolved: No Yes Unknown (if patient died) | |
| Resolved: No Yes Unknown (if patient died) | |
| | |
| | |
| | |
| 2) New or ongoing: Newly developed Ongoing since previous assessment Start date://(YYYY/MM/DD) only if newly developed | |
| Infection with clinical implications: No | |
| Yes: (select all that apply during this period) | |
| ☐ Symptoms/signs or disease | |
| ☐ Administration of pathogen-directed therapy | |
| ☐ Unknown | |
| Indicate at least 1 location involved during this period: Localisation 1 (CTCAE term)*: | |
| Localisation 2 (CTCAE term)*: | |
| Localisation 3 (CTCAE term)*: | |
| Intravascular catheter-related infection: No | |
| ☐ Yes; specify**: | |
| ☐ Unknown | |
| Resolved: No Yes Unknown | |
| | |
| (if patient died) | |

 $[^]st$ Indicate CTCAE term by choosing from the list provided in Appendix 3

^{**} If intravascular catheter-related infection, specify it by choosing from the list provided in Appendix 5



☐ Unknown

| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | | |
|--|----------------|------|---|--------------|
| Hospital Unique Patient Number (UPN): | | | | |
| Patient Number in EBMT Registry: | Treatment Date | 1 | 1 | (YYYY/MM/DD) |

SECONDARY MALIGNANCIES AND AUTOIMMUNE DISORDERS

| Did a se | condary malignancy or autoi | mmune disorder occur during this follow-up period? |
|----------|--|--|
| ☐ No | | |
| ☐ Yes: | | tion with treatments administered <u>prior to</u> cellular therapy cells indication and xic agents, targeted therapies, immunotherapies, radiation therapy, etc. Please w) |
| | Transformation of engineer (please provide more deta | ered immune effector cells through insertional mutagenesis or other mechanisms ails below) |
| | Further details on secondary | malignancy or autoimmune disorder: |
| | Date of diagnosis: / _ | /(YYYY/MM/DD) |
| | Histologic type (if applicable) |): |
| | Location (if applicable): | |
| | Secondary malignancy material preserved: | Concomitant PBMCs preserved: |
| | ☐ No | □ No |
| | ☐ Yes | ☐ Yes |
| | Unknown | Unknown |
| | Was this disease an indica | ation for a subsequent HCT/CT/IST/GT? |
| | ☐ No (complete the releva | nt non-indication diagnosis form) |
| | Yes (complete the releva | ant indication diagnosis form) |
| | | |

CT_FU_v2.2 16 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст |
|--|------------------|-----------------|
| Hospital Unique Patient Number (UPN): | | |
| Patient Number in EBMT Registry: | Treatment Date _ | // (YYYY/MM/DD) |
| | | |

| PERSISTENCE OF THE INFUSED CELLS | | | |
|--|--|--|--|
| Nas persistence of the infused cellul ☐ No | ar products assessed since the last follow-up? | | |
| Yes: Date of the last assessment: | //(<i>YYYY/MM/DD</i>) | | |
| Source of cells used for testing | ☐ Bone marrow | | |
| | ☐ Peripheral blood | | |
| | ☐ Tumour | | |
| | Other; specify: | | |
| Technique used for testing: | ☐ Molecular (PCR) | | |
| | ☐ Flow cytometry | | |
| | ☐ Chimaerism | | |
| | ☐ Imaging | | |
| | ☐ Immunohistochemistry | | |
| | Other; specify: | | |
| Were immune effector cells (IE | C) detected: No Yes | | |
| ☐ Unknown | LAST DISEASE STATUS Additional Assessments | | |
| Disease burden: | | | |
| <u>LDH level:</u> | | | |
| ☐ Normal | | | |
| ☐ Elevated | | | |
| ☐ Not evaluated | | | |
| Unknown | | | |
| Inflammatory state (C-reactive p | rotein [CRP] concentration): | | |
| ☐ Normal | | | |
| ☐ Elevated: Maximum CRP co | ncentration: Unit (check only one): | | |
| ☐ Not evaluated | | | |
| Unknown | | | |
| Date of C-reactive protein level | assessment: / / (YYYY/MM/DD) 🖂 Unknown | | |

CT_FU_v2.2 17 of 32 2025-06-04



EBMT Centre Identification Code (CIC): $____$

Hospital Unique Patient Number (UPN): _____

| Patient Number in EBMT Registry: Treatment Date// (YYYY/MM/DD) |
|--|
| ADDITIONAL TREATMENTS |
| Include only systemic treatments designed to consolidate the anti-tumour activity of CT cells, prevent relapse (i.e. administration of immune checkpoint inhibitors). Indicate only treatments that have not been reported at previous follow-up(s |
| Did the patient undergo additional treatment during this follow-up period? |
| □ No |
| ☐ Yes; ☐ Started in this follow-up period; complete the "Treatment — non-HCT/CT/IST" form ☐ Ongoing since previous follow-up |
| ☐ Unknown |
| ADDITIONAL CELL INFUSIONS |
| Did the patient receive additional cell infusions (excluding a new HCT and CT) during this follow-up period? |
| Yes: Is this cell infusion an allogeneic boost*? No Yes * An allogeneic boost is an infusion of cells from the same donor without conditioning, with no evidence of graft rejection. |
| Date of the allogeneic boost: / _ / _ (YYYY/MM/DD) |
| Is this cell infusion an autologous boost? No Yes |
| Date of the autologous boost: / _ / _ (YYYY/MM/DD) |
| f this cell infusion is not a boost, attach the Cell Infusion (CI) sheet available in Appendix 6, completing as many sheets as episodes of cell infusion that took place during this interval; then continue below. |
| Did the patient receive subsequent HCT (either at your or another centre)? No |
| ☐ Yes |
| Did the patient receive subsequent cellular therapy (either at your or another centre)? |
| ☐ Yes; Reason for subsequent CT: ☐ Primary failure |
| Consolidation |

Treatment Type

CT

If the patient had a subsequent HCT/CT, please, make sure that this subsequent treatment is registered using the appropriate treatment form before proceeding.

☐ Mitigation of side effects

CT_FU_v2.2 18 of 32 2025-06-04



| EBMT Centre Identification Code (CIC): | Treatment Type CT |
|--|-------------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / _ / _ (YYYY/MM/DD) |

| HOSPI | TAI | IISSI | UN |
|-------|-----|-------|-----|
| HUSEI | | 1001 | UIV |

Complete only for Day 100 and 6 Months Follow-Up.

| Was inpatient admission and care needed since the last follow-up? |
|--|
| □ No |
| Yes; Number of days in hospital: |
| Unknown |
| |
| Was the patient transferred to the intensive care unit (ICU) since the last follow-up? |
| Was the patient transferred to the intensive care unit (ICU) <u>since the last follow-up</u> ? ☐ No |
| |



| EBMT Centre Identification Code (CIC): | Treatment Type |
|--|-------------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / _ / _ (YYYY/MM/DD) |

RELAPSE/PROGRESSION, RECURRENCE OF DISEASE OR SIGNIFICANT WORSENING

(not relevant for Inborn Errors)

| Was there a relapse, progression, recurrence of disease or significant worsening of organ function related to the orimary disease since last follow-up? (detected by any method) |
|--|
| □ No |
| Yes; for every relapse, progression, recurrence, significant worsening complete the questions below |
| Type: ☐ Relapse / Recurrence of disease |
| ☐ (Continuous) progression / Significant worsening |
| |
| Date of relapse/progression/recurrence/worsening://(YYYY/MM/DD) |
| Malignant disorders only: Type of relapse/progression: |
| Medullary: ☐ No ☐ Yes ☐ Unknown |
| Extramedullary: No Yes Unknown |
| If the relapse/progression was extramedullary or both medullary and extramedullary: |
| Involvement at time of relapse/progression: |
| Skin: No Yes Not evaluated |
| CNS: No Yes Not evaluated |
| Testes/Ovaries: No Yes Not evaluated |
| Other: No Yes; specify: |
| copy and fill-in this table as many times as necessary. |
| CD19 expression at relapse after CT (only for Precursor lymphoid neoplasms): |
| □ Absent |
| ☐ Present |
| ☐ Unknown |
| |
| PATIENT STATUS |
| Performance status at the last assessment (check only one): |
| Type of scale used: Score: |
| Karnofsky □ 10 □ 20 □ 30 □ 40 □ 50 □ 60 □ 70 □ 80 □ 90 □ 100 □ Lansky |
| □ ECOG □ 0 □ 1 □ 2 □ 3 □ 4 |

CT_FU_v2.2 20 of 32 2025-06-04



Unknown

| EBMT Centre Identification Code (CIC): | Treatment Type CT |
|--|---------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / / (YYYY/MM/DD) |

| PREGNANCY AFTER CELLULAR THERAPY Complete only after 6 Months | | |
|---|--|--|
| Has patient become pregnant or impregnated another person since last follow-up? | | |
| □ No | | |
| Yes: Did the pregnancy result in a live birth? | | |
| ☐ No; Date of spontaneous or induced termination: / (YYYY/MM/DD) ☐ Unknown | | |
| ☐ Yes; Year of birth: (YYYY) Month of birth: (MM) ☐ Unknown | | |
| ☐ Still pregnant at time of follow-up | | |
| ☐ Unknown | | |
| | | |
| | | |

DISEASE STATUS

Disease specific

Not applicable for Inborn Errors

Disease status at this follow-up or at time of death*:

CT_FU_v2.2 21 of 32 2025-06-04

^{*} Indicate the disease status at this follow-up or at time of death corresponding to indication diagnosis by selecting from the list provided in Appendix 1



| EBMT Centre Identification Code (CIC): | Treatment Type CT | | |
|--|---------------------|-----|--------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date / | / . | (YYYY/MM/DD) |

Appendix 1 Best Response and Disease Status (Disease Specific)

Complete only one section with the main indication diagnosis for which CT was given.

| ACUTE LEUKAEMIAS | Go to page 23 |
|---|---------------|
| CHRONIC LEUKAEMIAS | Go to page 23 |
| PLASMA CELL NEOPLASMS (PCN) | Go to page 23 |
| MPN, MDS, MDS / MPN OVERLAP SYNDROMES | Go to page 24 |
| LYMPHOMAS | Go to page 25 |
| SOLID TUMOURS | Go to page 25 |
| BONE MARROW FAILURE SYNDROMES (BMF) including APLASTIC ANAEMIA (AA) | Go to page 25 |
| AUTOIMMUNE DISORDERS | Go to page 26 |
| HAEMOGLOBINOPATHIES | Go to page 26 |
| OTHER DIAGNOSIS | Go to page 27 |



| EBMT Centre Identification Code (CIC): | Treatment Type | |
|--|-----------------------------|-------|
| Hospital Unique Patient Number (UPN): | | |
| Patient Number in EBMT Registry: | Treatment Date / / (YYYY/MM | 1/DD) |

Appendix 1 Best Response and Disease Status (Disease Specific)

| Acute leukaemias (AML, PLN, Other) | | |
|---|-----------------|-----------------|
| Complete remission (CR) | | |
| ☐ Not in complete remission | | |
| ☐ Not evaluated | | |
| Unknown | | |
| Proceed to next page for Diseases Status section | | |
| Chronic leukaemias (CML, CLL, PLL, Other) | | |
| Chronic Myeloid Leukaemia (CML): | | |
| $\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $ | nknown | |
| Haematological remission: ☐ No ☐ Yes ☐ |] Not evaluate | ed 🔲 Unknown |
| Cytogenetic remission: ☐ No ☐ Yes ☐ |] Not evaluate | ed 🔲 Unknown |
| Molecular remission: ☐ No ☐ Yes ☐ |] Not evaluate | ed 🔲 Unknown |
| ☐ Accelerated phase; Number : ☐ 1 st ☐ 2 nd ☐ 3 rd or higher ☐ Unk | rnown | |
| \square Blast crisis; Number : \square 1 st \square 2 nd \square 3 rd or higher \square Unknown | | |
| ☐ Not evaluated | | |
| Unknown | | |
| Proceed to next page for Diseases Status section | | |
| Chronic Lymphocytic Leukaemia (CLL), Prolymphocytic Leukaemia (PLL) and | other chronic | laukaamias: |
| Complete remission (CR) | Other childrine | icaracinias. |
| Partial remission (PR) | | |
| ☐ Progression: ☐ Resistant to last regimen ☐ Sensitive to last reg | imen 🗆 | Unknown |
| Stable disease (no change, no response/loss of response) | | OHKHOWH |
| Relapse | | |
| ☐ Not evaluated | | |
| Unknown | | |
| | | |
| Proceed to next page for Diseases Status section | | |
| Plasma cell neoplasms (PCN) | | |
| ☐ Complete remission (CR) | Number: | ☐ 1st |
| Stringent complete remission (sCR) | | ☐ 2nd |
| ☐ Very good partial remission (VGPR) | | ☐ 3rd or higher |
| ☐ Partial remission (PR) | | ☐ Unknown |
| ☐ Relapse | | |
| ☐ Progression | | |
| Stable disease (no change, no response/loss of response) | | |
| ☐ Not evaluated | | |
| ☐ Unknown | | |

Proceed to next page for Diseases Status section



| EBMT Centre Identification Code (CIC): | Treatment Type CT |
|--|---------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / / (YYYY/MM/DD) |

Appendix 1 Best Response and Disease Status (Disease Specific) continued

| Complete only for PCN Disease Status | |
|---|-------|
| Was the patient on dialysis during this follow-up period? | |
| Yes; Started in this follow-up period: Start date:// (YYYY/MM/DD) Unknown | |
| Ongoing since previous follow-up | |
| Did dialysis stop? ☐ No ☐ Yes; End date: / (YYYY/MM/DD) ☐ Unknown | |
| Unknown Unknown | |
| l □ Unknown | |
| \- | |
| Complete only for AL, CLL and PCN Disease Status | |
| Leukaemias (AL, CLL) and PCN (complete only for patient in CR or sCR) | |
| Minimal residual disease (MRD): | |
| Positive; | |
| │ Increasing (>1log10 change) | (nowr |
| ☐ Unknown | |
| Date MRD status evaluated:/(YYYY/MM/DD) Unknown | |
| Sensitivity of MRD assay: Method used: | |
| $ \cdot \subseteq 10^{-6}$ (select all that apply) $ \cdot \subseteq <10^{-5}$ \square PCR | |
| ¦ ☐ ≤10 ⁻⁵ ☐ PCR ☐ ≤10 ⁻⁴ ☐ Flow cytometry | |
| L | |
| Other; specify: Other; specify: | |
| Unknown Unknown | |
| Music and if and in a part of the part of | |
| Myeloproliferative neoplasms (MPN), Myelodysplastic neoplasms (MDS), MDS/MPN overlap syndromes | |
| Complete remission (CR) Number: 1st | |
| ☐ 2nd | |
| ☐ 3rd or higher | |
| ☐ Unknown | |
| ☐ Improvement but no CR | |
| Primary refractory phase (no change) | |
| Relapse Number: 1st | |
| ☐ 2nd | |
| | |
| | |
| ☐ Progression/Worsening | |
| ☐ Not evaluated | |
| ☐ Unknown | |
| | |



| EBMT Centre Identification Code (CIC): | Treatment Type CT |
|--|-------------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / _ / _ (YYYY/MM/DD) |

Appendix 1

| Best Response and Disease Status (Disease Specific) continued |
|---|
| Lymphomas |
| Chemorefractory relapse or progression, including primary refractory disease |
| ☐ Complete remission (CR): ☐ Confirmed ☐ Unconfirmed (CRU*) ☐ Unknown |
| Partial remission (PR) |
| Stable disease (no change, no response/loss of response) |
| Untreated relapse (from a previous CR) or progression (from a previous PR) |
| |
| Not evaluated |
| Unknown |
| * CRU: Complete response with persistent scan abnormalities of unknown significance |
| |
| Solid tumours |
| ☐ Complete remission (CR): ☐ Confirmed ☐ Unconfirmed ☐ Unknown |
| First partial remission |
| Partial remission (PR) |
| ☐ Progressive disease |
| ☐ Relapse: ☐ Resistant ☐ Sensitive ☐ Unknown |
| Stable disease (no change, no response/loss of response) |
| ☐ Not evaluated |
| □ Unknown |
| |
| |
| Bone marrow failures (incl. AA) |
| ☐ Complete remission (CR) ☐ Partial remission (PR) |
| ☐ Haematological improvement (HI); NIH partial response |
| Stable disease (no change, no response/loss of response) |
| ☐ Relapse / Progression |
| ☐ Not evaluated |
| ☐ Unknown |
| |
| Complete only for Bone marrow failures (incl. AA) Disease Status |
| Did transfusions stop during Patient was never transfusion dependent |
| the follow-up period? No |
| Yes; Did the patient return to transfusion dependency afterwards? |
| No No |
| Yes; First transfusion date:/(YYYY/MM/DD) Unknown (after transfusion free period) |
| Unknown |
| Ongoing transfusion independence since last follow-up |
| Unknown |



¦ ☐ Unknown

| EBMT Centre Identification Code (CIC): | Treatment Type 🔲 CT |
|--|-------------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / _ / _ (YYYY/MM/DD) |

Appendix 1 Best Response and Disease Status (Disease Specific) continued

| | Continued |
|---|---|
| Autoimmune disorders | |
| ☐ No evidence of disease | |
| ☐ Improved | |
| ☐ Unchanged | |
| ☐ Worse | |
| ☐ Not evaluated | |
| Unknown | |
| laemoglobinopathies <u>Thalassaemia:</u> | |
| Complete only for Thalassen | |
| Transfusion independent; | Date of last transfusion: / / (YYYY/MM/DD) ☐ Unknown (after cellular therapy) |
| ☐ Transfusions required; | Date of first transfusion: / / (YYYY/MM/DD) Unknown (after cellular therapy) |
| ☐ Not evaluated | |
| Unknown | |
| , | |
| Complete only for Thalassemia | |
| Patient requires transfusion | s during follow-up period: |
| ∏ No | |
| | on dependence after Date of first transfusion: / / (<i>YYYY/MM/DD</i>) |
| Ongoing transfusion previous assessment | on dependence since ent |
| Number of units: (during follow-up perio | |
| Did transfusions sto | p? |



| EBMT Centre Identification Code (CIC): | Treatment Type CT |
|--|-------------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date / _ / _ (YYYY/MM/DD) |

Appendix 1 Best Response and Disease Status (Disease Specific)

☐ Not evaluated

☐ Unknown

| continuea | |
|--|----|
| Haemoglobinopathies | |
| Sickle cell disease: | |
| Complete only for Sickle cell disease Best Response | |
| ☐ No return of sickling episodes | |
| Return of sickling episodes; Date of first episode:// (YYYY/MM/DD) Unknown (after cellular therapy) | |
| ☐ Not evaluated | |
| Unknown | |
| Complete only for Sickle cell disease Disease Status Sickling episodes occur during follow-up period: | |
| No | |
| Yes; First return of sickling episodes after cellular therapy Date of first episode://_(YYYY/MM/DD) Unknown (after cellular therapy) | ΟW |
| Ongoing presence of sickling episodes | |
| Number of SCD episodes: Unknown (during follow-up) | |
| Unknown | |
| \ | |
| Other diagnosis | |
| ☐ No evidence of disease |] |
| ☐ Improved | |
| ☐ No response | |
| ☐ Worse | 1 |



| EBMT Centre Identification Code (CIC): |
|--|
| Hospital Unique Patient Number (UPN): |
| Patient Number in FRMT Registry: |

| | Treatment Type | □ ст | | | |
|---|----------------|------|---|--------------|--|
| - | Treatment Date | 1 | , | (YYYY/MM/DD) | |

| | | | | A | p | p | е | n | aı | X | 4 | |
|--|--|--|--|---|---|---|---|---|-----|---|---|---|
| | | | | | | _ | _ | | . — | | _ | 4 |

-- Pathogens as per EBMT Registry database --

*As defined by the IDSA (Mermel LA, Allon M, Bouza E, Craven DE, Flynn P, O'Grady NP, et al. Clinical practice guidelines for the diagnosis and management of intravascular catheter-related infection: 2009 Update by the Infectious Diseases Society of America. Clin Infect Dis. 2009;49(1):1-45)

Bacterial infections

Gram-positive:

- · Clostridioides difficile
- · Enterococcus faecalis (vancomycin-susceptible)
- · Enterococcus faecalis (vancomycin-resistant)
- · Enterococcus faecium (vancomycin-susceptible)
- · Enterococcus faecium (vancomycin-resistant)
- · Listeria monocytogenes
- · Nocardia spp (specify)
- · Staphylococcus aureus MSSA (methicillin-susceptible)
- · Staphylococcus aureus MRSA (methicillin-resistant) vancomycin-susceptible
- · Staphylococcus aureus MRSA (methicillin-resistant) vancomycin not tested
- · Staphylococcus aureus MRSA and VISA (vancomycin-intermediate, MIC 4-8 µg/ml)
- · Staphylococcus aureus MRSA and VRSA (vancomycin-resistant, MIC ≥ 16 µg/ml)
- · Staphylococcus coagulase-negative spp (at least two positive blood cultures)
- · Streptococcus pneumoniae
- · Streptococcus viridans
- · Streptococcus other spp (specify)
- · Gram-positive bacteria other spp (specify)

Gram-negative:

- · Acinetobacter baumannii
- · Campylobacter jejuni
- · Citrobacter freundii
- · Enterobacter cloacae
- · Enterobacter other spp (specify)
- · Escherichia coli
- · Haemophilus influenzae
- · Helicobacter pylori
- · Klebsiella aerogenes (carbapenem-susceptible)
- · Klebsiella pneumoniae (carbapenem-susceptible)
- · Klebsiella (any species) (carbapenem-resistant) (specify)
- · Legionella pneumophila
- · Morganella morganii
- · Neisseria gonorrhoeae
- · Neisseria meningitidis
- · Proteus vulgaris
- · Providencia spp
- · Pseudomonas aeruginosa (carbapenem-susceptible)
- · Pseudomonas aeruginosa (carbapenem-resistant)
- · Salmonella spp (specify)
- · Serratia marcescens
- · Shigella spp
- · Stenotrophomonas maltophilia
- Treponema pallidum
- · Gram-negative bacteria other spp (specify)

Other bacteria:

- · Chlamydia spp
- · Chlamydophila
- · Mycobacterium other spp (specify)
- \cdot Mycobacterium tuberculosis
- · Mycoplasma pneumoniae
- · Rickettsia spp
- · Bacteria other (specify)

Viral infections:

- · Adenovirus
- · Gastrointestinal viruses:
 - o Norovirus
 - o Rotavirus
- · Hepatotropic viruses:
 - o HAV
 - o HBV
 - o HCV
 - o HEV
- · Herpes group: o CMV

 - o EBV
 - o HHV6
 - o HHV7
 - o HHV8 0 HS
 - o VZ
- · HIV
- · Human papilloma viruses (HPV)
- · Parvovirus
- · Polyomaviruses:
 - o BK
 - o JC
 - o Merkel cell
 - o Other polyomavirus (specify)
- · Respiratory viruses:
 - o Enterovirus
 - o Human coronavirus
 - o Influenza A
 - o Influenza B
 - o Metapneumovirus
 - o Parainfluenza
 - o Rhinovirus
 - o RSV
 - o SARS-CoV-2
 - o Respiratory virus other (specify)
- · Viruses other (specify)



| EBMT Centre Identification Code (CIC): | Treatment Type | □ ст | |
|--|----------------|------|--------------|
| Hospital Unique Patient Number (UPN): | | | |
| Patient Number in EBMT Registry: | Treatment Date | // | (YYYY/MM/DD) |

Appendix 2

-- Pathogens as per EBMT Registry database -- continued

*As defined by the IDSA (Mermel LA, Allon M, Bouza E, Craven DE, Flynn P, O'Grady NP, et al. Clinical practice guidelines for the diagnosis and management of intravascular catheter-related infection: 2009 Update by the Infectious Diseases Society of America. Clin Infect Dis. 2009;49(1):1-45)

Fungal infections:

Yeasts:

- · Candida albicans
- · Candida auris
- · Candida other (specify)
- · Cryptococcus neoformans
- · Trichosporon (specify)
- · Pneumocytis jiroveci
- · Yeasts other (specify)

Moulds:

- · Aspergillus flavus
- · Aspergillus fumigatus
- · Aspergillus other spp (specify)
- · Aspergillus terreus
- · Fusarium other spp (specify)
- · Fusarium solani
- · Lomentospora prolificans (formerly Scedosporium prolificans)
- · Order Mucorales (specify)
- · Dematiaceous fungi (Phaeohyphomycosis) (specify)
- · Scedosporium spp (specify)
- · Moulds other spp (specify)
- Mould infection diagnosed based on positive galactomannan only, without microbiological confirmation
- · Blastomyces spp
- · Histoplasma spp (specify)
- · Coccidioides spp
- · Paracoccidioides spp

Parasitic infections:

Protozoa:

- · Babesia spp (specify)
- · Cryptosporidium
- · Giardia spp
- · Leishmania spp (specify)
- · Plasmodium spp (specify)
- · Toxoplasma gondii
- · Trypanosoma cruzi
- · Protozoa other spp (specify)

Helminths:

- · Strongyloides stercoralis
- · Other helminths



| EBMT Centre Identification Code (CIC): | Treatment Type |
|--|----------------------------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in EBMT Registry: | Treatment Date // _ (YYYY/MM/DD) |
| | |

Appendix 3
CTCAE term --

CTCAE terms related to infections and infestations (version 5.0.)
https://ctep.cancer.gov/protocoldevelopment/electronic_applications/ctc.htm#ctc_50

Respiratory tract infections

- · Pneumonia
- · Other respiratory tract infections

Intra-abdominal infections

- · Esophagus or gastric infection
- · Liver site infection (including biliary tract and gallbladder)
- · Lower gastrointestinal infection
- · Other intra-abdominal infection

Skin, soft tissue and muscle infections

- . Lymph gland infection
- . Skin, soft tissue or muscle infection

Blood infections

- · Bacteremia
- · Fungemia
- · Viremia (including DNAemia)
- . DNAemia for parasitic infection

Other infections

. Device-related infection (other than intravascular catheter)

Uro-genital tract infections

- · Genital infection
- · Urinary tract infection

Nervous system infection

- · Central nervous system infection
- · Other nervous system infection

Cardiovascular infections

- . Endocarditis infective
- . Other cardiovascular infection

Head and neck infections (excluding lymph gland)

- · Conjunctivitis infective
- Corneal infection
- . Ear infection
- · Endophthalmitis infective
- Oral cavity infection
- · Retinitis infective
- · Sinusitis infective

Osteoarticular infections

- · Joint infection
- · Bone infection



| EBMT Centre Identification Code (CIC): | Treatment Ty |
|--|--------------|
| Hospital Unique Patient Number (UPN): | |
| Patient Number in FBMT Registry: | Treatment Da |

| rreatment Type | | | |
|----------------|---|---|--------------|
| Treatment Date | 1 | / | (YYYY/MM/DD) |

Appendix 4

-- Non-infectious Complications CTCAE term -- No Reporting Required

Non-infectious complications

- Allergic reaction
- · All laboratory abnormalities
- All types of pain
- Gastritis
- · Alopecia
- Hematologic toxicitiesHematoma
- · Blurred vision
- · Diarrhoea (enteropathy) · Hypertension
- · Dry mouth
- · Injection site reaction
- Dyspepsia
- Malaise
- DysphagiaEdema
- Mucositis
- · Esophageal stenosis
- Sore throatTinnitus
- FatigueFlashes
- VertigoWeight loss

Infectious complications

- Minor ophthalmologic bacterial infections
- External otitis treated topically
- Otitis media treated with oral antibiotics
- · Isolated lip herpes simplex
- · Bacterial tonsillitis or pharyngitis treated orally
- Laryngitis without viral identification managed at home by inhalations or without any intervention
- URTI without viral/bacterial identification managed at home
- Bilateral cervical lymph node enlargement concurrent with URTI that resolved without specific treatment, together with the resolution of URTI
- Local superficial wound infection resolved under topical antibiotics (incl. impetigo)
- · Minor skin bacterial infections
- · Minor fungal skin infection
- 1. Diaper rash treated with local antifungals
- · Candidal balanitis treated topically

- · Vaginal candidiasis treated topically or with a single oral dose
- · Asymptomatic bacteriuria due to a pathogen not multi-resistant
- · Single low urinary tract infection treated orally without need for hospitalisation
- Phlebitis following peripheral intravascular infusion that resolved after intravascular removal without treatment with antibiotics
- Any isolate that is considered part of the normal flora of the place (oral cavity, vagina, skin, stools) except if it carries an antimicrobial resistance that has clinical implications (induce isolation precautions or a pathogen-directed therapy)
- · Positive culture without clinical implications

Appendix 5

-- Intravascular catheter-related infections --

CVC infections:

- Catheter colonization Tunnel infection
- Phlebitis Pocket infection
- Exit site infection Bloodstream infection



□ 1 □ 2

□ 4

Present but grade unknown

| EBMT Centre Identification Code (CIC): | Treatment Type 🔲 CT | |
|--|---------------------|--------------|
| Hospital Unique Patient Number (UPN): | | |
| Patient Number in EBMT Registry: | Treatment Date/_/ | (YYYY/MM/DD) |

| Appendix 6 Cell Infusion Sheet | | |
|---|--|--|
| Chronological number of CI episode for this | s patient: | |
| Date of the first infusion (within this episode):/(YYYY/MM/DD) | | |
| Number of infusions within this episode (10 (Count only infusions that are part of the same | | |
| Source of cells: (check all that apply) Allogeneic Autologous | | |
| Type of cells: (check all that apply) Lymphocytes (DLI) Mesenchymal Fibroblasts Dendritic cells NK cells Regulatory T-cells Gamma/delta cells Virus-specifc T-cells; specify virus: Other; specify: | | |
| | Not applicable for Inborn Errors | |
| Disease status at time of this cell infusion*: | | |
| * Indicate the disease status corresponding to | indication diagnosis by selecting from the list provided in Appendix 1 | |
| Indication: (check all that apply) Planned/protocol Prophylactic Treatment of acute GvHD Treatment of chronic GvHD Treatment PTLD, EBV lymphoma Treatment for primary disease Mixed chimaerism Loss/decreased donor chimaerism Treatment of viral infection other than EBV | Poor graft function Infection prophylaxis Other; specify: | |
| Acute GvHD maximum grade (after this inf | fusion episode but before any subsequent cell infusion/HCT/CT): | |

CT_FU_v2.2 32 of 32 2025-06-04

☐ Unknown

Date Acute GvHD onset after cell infusion: ____/__(YYYY/MM/DD)