EBMT Centre Identification Code (CIC): _ _ _ _
Hospital Unique Patient Number (UPN): _ _ _ _ _ _ _ _ _ _ _ _ _
Patient Number in EBMT Registry: _ _ _ _ _ _ _ _ _

Treatment Type ☐ HCT

Treatment Date _ _ _ _/ _ _/ _ _ *(YYYY/MM/DD)*

ALLOGENEIC HAEMATOPOIETIC CELL TRANSPLANTATION (HCT)
Day 0

Date of this HCT: _ _ _ _ / _ _ / _ _ *(YYYY/MM/DD)*
(or planned date of HCT if patient died before treatment)

Centre where this HCT took place: _____

Patient UPN for this treatment: _____

Team or unit where treatment took place *(select all that apply):*

☐ Adults ☐ Pediatrics ☐ Haematology ☐ Oncology ☐ Allograft ☐ Autograft ☐ Other; specify: _____

Unit number: _____ ☐ Not applicable

Indication diagnosis for this HCT:_____
(make sure the indication diagnosis has been registered first, using the relevant diagnosis form)

Extended dataset

Only for Chronic Myeloid Leukaemia (CML) patients

Reason for HCT (select as many reasons as applicable):

☐ Accelerated phase
☐ Blast crisis
☐ TKI intolerance
☐ Imatinib resistance
☐ Dasatinib resistance
☐ Nilotinib resistance
☐ Asciminib resistance
☐ Ponatinib resistance
☐ Bosutinib resistance
☐ Clonal evolution
☐ Poor risk patient or high risk CML
☐ ABL mutation
☐ Standard indication at diagnosis
☐ No engraftment/graft loss
☐ Clinical study
☐ Other, specify : _____
☐ Unknown

Chronological number of this treatment: _____
(Include *all types of treatments for this patient, e.g. HCT, CT, GT, IST*)

Chronological number of this HCT: _____
(Include *all HCTs this patient received in the past*)

Chronological number of this allogeneic HCT: _____
(Include *all allogeneic HCTs this patient received in the past*)

ALLOGENEIC HAEMATOPOIETIC CELL TRANSPLANTATION (HCT)
Day 0

Complete this section only if the chronological number of the treatment is >1 for this patient.

If > 1:

Reason for this HCT:

- ☐ Indication diagnosis
- ☐ Relapse/progression after previous treatment (HCT/CT/GT/IST)
- ☐ Complication after previous treatment (HCT/CT/GT/IST)
- ☐ Primary graft failure
- ☐ Secondary graft failure
- ☐ Secondary malignancy
- ☐ Other; specify: _____

Date of the last treatment before this one: _ _ _ _ / _ _ / _ _ *(YYYY/MM/DD)*

Type of the last treatment before this one:

- ☐ Autologous HCT
- ☐ Allogeneic HCT
- ☐ Cellular therapy (CT)
- ☐ Immunosuppressive treatment (IST)
- ☐ Gene therapy (GT)

Was the last treatment performed at another institution?

- ☐ No
- ☐ Yes: CIC (if known): _____

  Name of institution: _____

  City: _____

Submit the relevant follow-up form for the previous HCT/CT/GT/IST using the follow up assessment date before this HCT. It is required to capture relapse data and other events between transplants/cellular therapies.

DONOR & GRAFT

Is this HCT part of a (planned) multiple (sequential) graft program/protocol?

☐ No

☐ Yes: **Chronological number of this HCT as part of multiple (sequential) graft program/protocol for this patient:** _____

If this is the first allogeneic HCT for this patient, complete the patient HLA section in the database.

Multiple donors *(including multiple CB units)***:**

☐ No

☐ Yes: **Number of donors**: _____

DONOR INFORMATION
--- Donor __ (number)---

Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

Did the donor consent to having their data in the EBMT registry?

☐ No (complete only fields marked with '*' on pages 4-8)

☐ Yes

Date of birth: _ _ _ _ / _ _ / _ _ *(YYYY/MM/DD)*

(year of birth is a mandatory field)

***Age at time of donation:** _____ **years**
(optional)

(Skip if the source of stem cells is cord blood)

***Age in months:** ____
(optional, if the donor was younger than 2 years)

***Sex** *(at birth)*:

☐ Male

☐ Female

Donor Identification:

Donor ID given by the treating centre *(mandatory)*: _____

Global registration identifier for donors (GRID): _____

ION code of the Donor Registry or Cord Blood Bank *(mandatory)*: _____

EuroCord code for the Cord Blood Bank *(if applicable)*: _____

Name of Donor Registry or Cord Blood Bank: _____

Donor ID given by the Donor Registry or Cord Blood Bank: _____

Patient ID given by the Donor Registry or Cord Blood Bank: _____

***Donor blood group:**

☐ A
☐ B
☐ AB
☐ O

***Donor rhesus factor:**

☐ Negative
☐ Positive

***Donor EBV status:**

☐ Negative
☐ Positive
☐ Not evaluated
☐ Unknown

***Donor CMV status:**

☐ Negative
☐ Positive
☐ Not evaluated
☐ Unknown

***Is donor heterozygous?** *(Sickle cell disease only)*

☐ No
☐ Yes

***Is donor a carrier for X-linked disease?** *(Inborn Errors only)*

☐ No
☐ Yes
☐ Not evaluated
☐ Unknown

***Did this donor provide more than one stem cell product:**

☐ No
☐ Yes: ***Number of different stem cell products from this donor**: _____

(If 2 products e.g. BM and PM, complete 'Donor 1 - Product Number 1 ***and*** *2' on page 5)*

DONOR INFORMATION
--- Donor __(number) continued ---
Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

*Donor __(number) - Product Number 1

If more than one stem cell product , this is the first product collected from this donor.

***Source of stem cells:** ☐ Bone Marrow ☐ Peripheral Blood ☐ Cord Blood ☐ Other; specify: _____
(select only one)

***Graft manipulation *ex-vivo* including T-cell depletion:**
(other than for RBC removal or volume reduction)

☐ No

☐ *Yes:
- ☐ T-cell (CD3+) depletion *(Do not use for "Campath in the bag")*
- ☐ T-cell receptor αβ depletion
- ☐ B-cell depletion (CD19+) by MoAB
- ☐ NK cell depletion by MoAB
- ☐ CD34+ enrichment
- ☐ Genetic manipulation
- ☐ Other; specify: _____

Extended dataset

***Infused cell counts for this product**

*Cell type	*Counts	*Units
Nucleated cells (/kg)	_____ ☐ Not evaluated ☐ Unknown	☐ x10^6/kg ☐ x10^7/kg ☐ x10^8/kg
CD34+ cells (/kg)	_____ ☐ Not evaluated ☐ Unknown	☐ x10^5/kg ☐ x10^6/kg
CD3+ cells (/kg)	_____ ☐ Not evaluated ☐ Unknown	☐ x10^5/kg ☐ x10^6/kg ☐ x10^7/kg ☐ x10^8/kg

***Was the graft cryopreserved prior to infusion?**
- ☐ No
- ☐ Yes; ***Date of cryopreservation:** _ _ _ _ / _ _ / _ _ *(YYYY/MM/DD)* ☐ Unknown
- ☐ Unknown

Extended dataset

Cord blood

***Cell infusion for this product**

***Route:**
- ☐ Intravenous (IV)
- ☐ Intrabone/intramedullary
- ☐ Other; specify: _____
- ☐ Unknown

***Method:**
- ☐ DMSO
- ☐ Wash (Rubinstein/New York)
- ☐ Other; specify: _____
- ☐ Unknown

***Cell viability tests performed at HCT centre:** ☐ No ☐ Yes;

***Tests performed after thawing of an aliquot on:**
- ☐ Contiguous segment
- ☐ Reference bag
- ☐ Unknown

***Method used:**
- ☐ 7-AAD
- ☐ Tryptan blue
- ☐ Acridine orange-ethidium bromide
- ☐ Acridine orange-ethidium iodide
- ☐ Other; specify _____
- ☐ Unknown

***Viability of all cells:** _____ % ☐ Unknown

***Viability of CD34+ cells:** _____ % ☐ Unknown

DONOR INFORMATION
--- Donor __(number) continued ---
Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

*Donor __(number) - Product Number 2

If more than one stem cell product , this is the first product collected from this donor.

***Source of stem cells:** ☐ Bone Marrow ☐ Peripheral Blood ☐ Cord Blood ☐ Other; specify: _____
(select only one)

***Graft manipulation *ex-vivo* including T-cell depletion:**
(other than for RBC removal or volume reduction)

☐ No

☐ *Yes:
- ☐ T-cell (CD3+) depletion *(Do not use for "Campath in the bag")*
- ☐ T-cell receptor αβ depletion
- ☐ B-cell depletion (CD19+) by MoAB
- ☐ NK cell depletion by MoAB
- ☐ CD34+ enrichment
- ☐ Genetic manipulation
- ☐ Other; specify: _____

Extended dataset

***Infused cell counts for this product**

*Cell type	*Counts	*Units
Nucleated cells (/kg)	_____ ☐ Not evaluated ☐ Unknown	☐ x10^6/kg ☐ x10^7/kg ☐ x10^8/kg
CD34+ cells (/kg)	_____ ☐ Not evaluated ☐ Unknown	☐ x10^5/kg ☐ x10^6/kg
CD3+ cells (/kg)	_____ ☐ Not evaluated ☐ Unknown	☐ x10^5/kg ☐ x10^6/kg ☐ x10^7/kg ☐ x10^8/kg

***Was the graft cryopreserved prior to infusion?**
- ☐ No
- ☐ Yes; ***Date of cryopreservation:** _ _ _ _ / _ _ / _ _ *(YYYY/MM/DD)* ☐ Unknown
- ☐ Unknown

Extended dataset

Cord blood

***Cell infusion for this product**

***Route:** ☐ Intravenous (IV) ☐ Intrabone/intramedullary ☐ Other; specify: _____ ☐ Unknown

***Method:** ☐ DMSO ☐ Wash (Rubinstein/New York) ☐ Other; specify: _____ ☐ Unknown

***Cell viability tests performed at HCT centre:** ☐ No ☐ Yes;

***Tests performed after thawing of an aliquot on:** ☐ Contiguous segment ☐ Reference bag ☐ Unknown

***Method used:** ☐ 7-AAD ☐ Tryptan blue ☐ Acridine orange-ethidium bromide ☐ Acridine orange-ethidium iodide ☐ Other; specify _____ ☐ Unknown

***Viability of all cells:** _____ % ☐ Unknown

***Viability of CD34+ cells:** _____ % ☐ Unknown

DONOR INFORMATION
--- Donor __(number) continued ---
Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

***Relation between patient and donor:** ☐ Related:

Relationship to patient:
- ☐ Syngeneic (monozygotic twin)
- ☐ Sibling *(may include non-monozygotic twin)*
- ☐ Other related:
  - ☐ Parents
  - ☐ Child
  - ☐ Aunt/Uncle
  - ☐ Cousin
  - ☐ Grand Parents
  - ☐ Other; specify: _____

☐ Unrelated *(proceed to next page)*

Related donor:

***Both haplotypes confirmed by family studies?**
(for both matched and mismatched related donors)
- ☐ No
- ☐ Yes
- ☐ Unknown

***HLA match type:**

☐ *Match (both haplotypes matched)

☐ *Mismatch:

***Method used for patient/donor HLA typing:** *(select all that apply)*
- ☐ Molecular
- ☐ Serology

if molecular typing was done:

*Locus:	*Number of mismatches, allelic:
A:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
B:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
C:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DRB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DQB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DPB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated

if serological typing was done:

*Locus:	*Number of mismatches, antigenic:
A:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
B:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
C:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DRB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DQB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DPB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated

Please enter the LABORATORY RESULTS WITH HLA TYPING into the database for all the donors

DONOR INFORMATION
--- Donor __(number) continued ---
Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

Unrelated donor:

***HLA match type:**

***Method used for patient/donor HLA typing:** *(select all that apply)*
☐ Molecular
☐ Serology

if molecular typing was done:

***Locus:**	***Number of mismatches, allelic:**
A:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
B:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
C:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DRB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DQB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DPB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated

if serological typing was done:

***Locus:**	***Number of mismatches, antigenic:**
A:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
B:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
C:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DRB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DQB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated
DPB1:	☐ 0 (match) ☐ 1 ☐ 2 ☐ Not evaluated

Please enter the LABORATORY RESULTS WITH HLA TYPING into the database for all the donors

ADDITIONAL ASSESSMENTS
(All diagnoses)

Are there Donor-Specific Antibodies (DSA) against HLA?

☐ No

☐ Yes: **HLA loci the DSA are directed against:** ☐ A ☐ B ☐ C ☐ DRB1 ☐ DQB1 ☐ DPB1

Did the patient have desensibilisation therapy? ☐ No
(Haemoglobinopathies only) ☐ Yes; specify: _____

Are the DSA red cell antibodies? ☐ No
(Haemoglobinopathies only) ☐ Yes: **Are they cross-reacting with the red cells of the donor?** ☐ No ☐ Yes

☐ Not evaluated

☐ Unknown

PREPARATIVE REGIMEN
(All Diagnoses)

Preparative (conditioning) regimen given?

☐ No

☐ Yes

Drugs given? *(any active agent, including chemotherapy, monoclonal antibody, polyclonal antibody, serotherapy, etc.)*

☐ No

☐ Yes (provide details in the table on pages 10-11)

What type of conditioning regimen was used?

☐ Reduced intensity conditioning (RIC)

☐ Myeloablative conditioning (MAC)

PREPARATIVE REGIMEN continued

Specification and dose of the preparative regimen:
(Report the total prescribed cumulative dose as per protocol. Multiply daily dose by the number of days; e.g. for Busulfan given 4mg/kg daily for 4days, total dose to report is 16mg/kg.
Report dosages and units only for individual drugs.)

Chemotherapy	Dose	Unit
☐ Bendamustine	_____	☐ mg/m² ☐ mg/kg
☐ Bleomycin	_____	☐ mg/m² ☐ mg/kg
☐ Busulfan Route of administration: ☐ Oral ☐ IV ☐ Both Drug monitoring performed: ☐ No ☐ Yes; total AUC: _____ ☐ mg x hr/L ☐ micromol x min/L ☐ mg x min/mL	_____	☐ mg/m² ☐ mg/kg
☐ Carboplatin Drug monitoring performed: ☐ No ☐ Yes; total AUC: _____ ☐ mg x hr/L ☐ micromol x min/L ☐ mg x min/mL	_____	☐ mg/m² ☐ mg/kg
☐ Carmustine	_____	☐ mg/m² ☐ mg/kg
☐ Cisplatin	_____	☐ mg/m² ☐ mg/kg
☐ Clofarabine	_____	☐ mg/m² ☐ mg/kg
Corticosteroids:		
☐ Beclometasone	_____	☐ mg/m² ☐ mg/kg
☐ Budesonide	_____	☐ mg/m² ☐ mg/kg
☐ Dexamethasone	_____	☐ mg/m² ☐ mg/kg
☐ Methylprednisolone	_____	☐ mg/m² ☐ mg/kg
☐ Prednisolone	_____	☐ mg/m² ☐ mg/kg
☐ Cyclophosphamide	_____	☐ mg/m² ☐ mg/kg
☐ Cytarabine	_____	☐ mg/m² ☐ mg/kg
☐ Daunorubicin	_____	☐ mg/m² ☐ mg/kg
☐ Doxorubicin	_____	☐ mg/m² ☐ mg/kg
☐ Epirubicin	_____	☐ mg/m² ☐ mg/kg
☐ Etoposide	_____	☐ mg/m² ☐ mg/kg
☐ Fludarabine	_____	☐ mg/m² ☐ mg/kg
☐ Gemtuzumab ozogamicin	_____	☐ mg/m² ☐ mg/kg
☐ Ibritumomab tiuxetan	_____	☐ mCi ☐ MBq
☐ Idarubicin	_____	☐ mg/m² ☐ mg/kg

PREPARATIVE REGIMEN continued

Specification and dose of the preparative regimen:

(Report the total prescribed cumulative dose as per protocol. Multiply daily dose by the number of days; e.g. for Busulfan given 4mg/kg daily for 4days, total dose to report is 16mg/kg.)

Chemotherapy	Dose	Units
☐ Ifosfamide	_____	☐ mg/m² ☐ mg/kg
☐ Imatinib	_____	☐ mg/m² ☐ mg/kg
☐ Lomustine	_____	☐ mg/m² ☐ mg/kg
☐ Melphalan	_____	☐ mg/m² ☐ mg/kg
☐ Mitoxantrone	_____	☐ mg/m² ☐ mg/kg
☐ Paclitaxel	_____	☐ mg/m² ☐ mg/kg
☐ Anti-CD20 antibodies	_____	☐ mg/m² ☐ mg/kg
☐ Teniposide	_____	☐ mg/m² ☐ mg/kg
☐ Thiotepa	_____	☐ mg/m² ☐ mg/kg
☐ Tositumomab	_____	☐ mCi ☐ MBq
☐ Treosulfan	_____	☐ mg/m² ☐ mg/kg
☐ Other; specify*: _____	_____	☐ mg/m² ☐ mg/kg ☐ mCi ☐ MBq

*Please consult the **LIST OF CHEMOTHERAPY DRUGS/AGENTS AND REGIMENS** on the EBMT website for drugs/regimens names

Total body irradiation (TBI):

☐ No

☐ Yes; **Total prescribed radiation dose as per protocol:** _____ Gy

Number of fractions: _____

Number of radiation days: _____

Total lymphatic irradiation (TLI):

☐ No

☐ Yes; **Total prescribed radiation dose as per protocol:** _____ Gy

Number of fractions: _____

Number of radiation days: _____

Total abdominal irradiation (TAI):

☐ No

☐ Yes; **Total prescribed radiation dose as per protocol:** _____ Gy

Number of fractions: _____

Number of radiation days: _____

GvHD PREVENTIVE TREATMENT

GvHD preventive treatment:

☐ No

☐ Yes: indicate the drugs

☐ Abatacept

☐ Alemtuzumab

☐ Anti-Thymocyte Globulin (ATG) | Anti-Lymphocyte Globulin

Product name: _____ Origin: ☐ Rabbit ☐ Horse ☐ Other; specify: _____

Anti-Thymocyte Globulin (ATG) total cumulative dose (mg/kg): ___ ☐ Unknown

☐ Basiliximab

Corticosteroids:

☐ Beclometasone

☐ Budesonide

☐ Dexamethasone

☐ Methylprednisolone

☐ Prednisolone

☐ Cyclophosphamide Post Transplant Cyclophosphamide (PTCY) cumulative dose (mg/kg): _____ ☐ Unknown

Post Transplant Cyclophosphamide (PTCY) timing schedule: ☐ Single dose on day 3 ☐ Single dose on day 5 ☐ Doses on days 3 and 4 ☐ Doses on days 3 and 5 ☐ Other, specify: _____

☐ Cyclosporine

☐ Etanercept

☐ Everolimus

☐ Infliximab

☐ Methotrexate

☐ Mycophenolate mofetil

☐ Ruxolitinib

☐ Sirolimus

☐ Tacrolimus

☐ Other agent (in vivo); specify*: _____

*Please consult the **LIST OF CHEMOTHERAPY DRUGS/AGENTS AND REGIMENS** on the EBMT website for drugs/regimens names

END OF THE ALLO-HCT DAY 0 REPORT

proceed to form DISEASE STATUS AT HCT/CT/GT/IST