

ALLOGENEIC HAEMATOPOIETIC CELL TRANSPLANTATION (HCT) Day 0

Date of this HCT: ____/____/____ (YYYY/MM/DD)
(or planned date of HCT if patient died before treatment)

Centre where this HCT took place: _____

Patient UPN for this treatment: _____

Team or unit where treatment took place (select all that apply):

☐ Adults ☐ Pediatrics ☐ Haematology ☐ Oncology ☐ Allograft ☐ Autograft ☐ Other; specify: _____

Unit number: _____ ☐ Not applicable

Indication diagnosis for this HCT: _____
(make sure the indication diagnosis has been registered first, using the relevant diagnosis form)

Chronological number of this HCT/CT/GT/IST event: _____
(It is an order/rank number for this type of treatment event, not the patient's full treatment history. Please Indicate whether this is the 1st, 2nd, 3rd, etc. HCT/CT/GT/IST event recorded for this patient. IST is applicable only for BMF, please don't count IST treatment for other diseases.)

Chronological number of this HCT: _____
(Include all HCTs this patient received in the past)

Chronological number of this allogeneic HCT: _____
(Include all allogeneic HCTs this patient received in the past)

ALLOGENEIC HAEMATOPOIETIC CELL TRANSPLANTATION (HCT)

Day 0

Complete this section only if the chronological number of the treatment is >1 for this patient.

If > 1:

Reason for this HCT:

- ☐ Indication diagnosis
- ☐ Relapse/progression after previous treatment (HCT/CT/GT/IST)
- ☐ Complication after previous treatment (HCT/CT/GT/IST)
- ☐ Primary graft failure
- ☐ Secondary graft failure
- ☐ Secondary malignancy
- ☐ Other; specify: _____

Date of the last main treatment before this one: ____/____/____ (YYYY/MM/DD)

A main treatment refers to HCT, cellular therapy, gene therapy and immunosuppressive treatment

Type of the last main treatment before this one:

- ☐ Autologous HCT
- ☐ Allogeneic HCT
- ☐ Cellular therapy (CT)
- ☐ Immunosuppressive treatment (IST)
- ☐ Gene therapy (GT)

Was the last main treatment performed at another institution?

- ☐ No
- ☐ Yes: CIC (if known): _____

Name of institution: _____

City: _____

Submit the relevant follow-up form for the previous HCT/CT/GT/IST using the follow up assessment date before this HCT. It is required to capture relapse data and other events between transplants/cellular therapies.



EBMT Centre Identification Code (CIC): ____
Hospital Unique Patient Number (UPN): ____
Patient Number in EBMT Registry: ____

Treatment Type ☐ HCT
Treatment Date ____/____/____ (YYYY/MM/DD)

DONOR & GRAFT

Is this HCT part of a (planned) multiple (sequential) graft program/protocol?

- ☐ No
- ☐ Yes: Chronological number of this HCT as part of multiple (sequential) graft program/protocol for this patient: _____

If this is the first allogeneic HCT for this patient, complete the patient HLA section in the database.

Multiple donors (including multiple CB units):

- ☐ No
- ☐ Yes: Number of donors: _____

DONOR INFORMATION

--- Donor ____ (number)---

Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

Did the donor consent to having their data in the EBMT registry?

☐ No (complete only fields marked with '*' on pages 4-8)

☐ Yes

Date of birth: ____/____/____ (YYYY/MM/DD)

(year of birth is a mandatory field)

(Skip if the source of stem cells is cord blood)

***Age at time of donation:** _____ years

(optional)

***Age in months:** _____

(optional, if the donor was younger than 2 years)

***Sex (at birth):**

☐ Male

☐ Female

Donor Identification:

Donor ID given by the treating centre (mandatory): _____

Global registration identifier for donors (GRID): _____ ☐ Unknown

ION code of the Donor Registry or Cord Blood Bank (mandatory): _____ ☐ Unknown

EuroCord code for the Cord Blood Bank (if applicable): _____ ☐ Unknown

Name of Donor Registry or Cord Blood Bank: _____ ☐ Unknown

Donor ID given by the Donor Registry or Cord Blood Bank: _____ ☐ Unknown

Patient ID given by the Donor Registry or Cord Blood Bank: _____ ☐ Unknown

***Donor blood group:**

- ☐ A
☐ B
☐ AB
☐ O

***Donor rhesus factor:**

- ☐ Negative
☐ Positive

***Donor EBV status:**

- ☐ Negative
☐ Positive
☐ Not evaluated
☐ Unknown

***Donor CMV status:**

- ☐ Negative
☐ Positive
☐ Not evaluated
☐ Unknown

***Is donor heterozygous?** *(Sickle cell disease only)*

- ☐ No
☐ Yes

***Is donor a carrier for X-linked disease?** *(Inborn Errors only)*

- ☐ No
☐ Yes
☐ Not evaluated
☐ Unknown

***Did this donor provide more than one stem cell product:**

- ☐ No
☐ Yes: ***Number of different stem cell products from this donor:** _____

(If 2 products e.g. BM and PM, complete 'Donor 1 - Product Number 1 and 2' on page 5)

DONOR INFORMATION

--- Donor ____ (number) continued ---

Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

*Donor ____ (number) - Product Number 1

If more than one stem cell product, this is the first product collected from this donor.

***Source of stem cells:** ☐ Bone Marrow ☐ Peripheral Blood ☐ Cord Blood ☐ Other; specify: _____
(select only one)

***Graft manipulation ex-vivo including T-cell depletion:**
(other than for RBC removal or volume reduction)

☐ No

☐ *Yes: ☐ T-cell (CD3+) depletion (*Do not use for "Campath in the bag"*)

☐ T-cell receptor $\alpha\beta$ depletion

☐ B-cell depletion (CD19+) by MoAB

☐ NK cell depletion by MoAB

☐ CD34+ enrichment

☐ Ex vivo expansion of CD34+ cells: ☐ UM171 (Zemcelpro; dorocubicel and unexpanded CD34- cells)

☐ Nicotinamide (NAM) (Omisirge; omidubicel-only)

☐ Notch ligand-based expansion

☐ Genetic manipulation

☐ Other; specify: _____

***Was the graft cryopreserved prior to infusion?**

☐ No

☐ Yes; ***Date of cryopreservation:** ____/____/____ (YYYY/MM/DD) ☐ Unknown

☐ Unknown

DONOR INFORMATION

--- Donor ____ (number) continued ---

Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

*Donor ____ (number) - Product Number 2

If more than one stem cell product, this is the first product collected from this donor.

***Source of stem cells:** ☐ Bone Marrow ☐ Peripheral Blood ☐ Cord Blood ☐ Other; specify: _____
(select only one)

***Graft manipulation ex-vivo including T-cell depletion:**
(other than for RBC removal or volume reduction)

☐ No
☐ *Yes: ☐ T-cell (CD3+) depletion (<i>Do not use for "Campath in the bag"</i>) ☐ T-cell receptor αβ depletion ☐ B-cell depletion (CD19+) by MoAB ☐ NK cell depletion by MoAB ☐ CD34+ enrichment ☐ Ex vivo expansion of CD34+ cells: ☐ UM171 (Zemcelpro; dorocubicel and unexpanded CD34- cells) ☐ Nicotinamide (NAM) (Omisirge; omidubicel-only) ☐ Notch ligand-based expansion ☐ Genetic manipulation ☐ Other; specify: _____

***Was the graft cryopreserved prior to infusion?**

- ☐ No
☐ Yes; ***Date of cryopreservation:** ____/____/____ (YYYY/MM/DD) ☐ Unknown
☐ Unknown

DONOR INFORMATION

--- Donor ____ (number) continued ---

Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

*Relation between patient and donor: ☐ Related:

Relationship to patient: ☐ Syngeneic (monozygotic twin)

☐ Sibling (may include non-monozygotic twin)

☐ Other related: ☐ Parents

☐ Child

☐ Aunt/Uncle

☐ Cousin

☐ Grand Parents

☐ Other; specify: _____

☐ Unrelated (proceed to next page)

Related donor:

*Both haplotypes confirmed by family studies? ☐ No

(for both matched and mismatched related donors) ☐ Yes

☐ Unknown

*HLA match type:

☐ *Match (both haplotypes matched)

☐ *Mismatch: *Method used for patient/donor HLA typing: ☐ Molecular
(select all that apply) ☐ Serology

if molecular typing was done:

*Locus:	*Number of mismatches, allelic:			
A:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
B:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
C:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DRB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DQB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DPB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated

if serological typing was done:

*Locus:	*Number of mismatches, antigenic:			
A:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
B:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
C:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DRB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DQB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DPB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated

***Please enter the LABORATORY RESULTS WITH HLA TYPING into the database for all the donors**

DONOR INFORMATION

--- Donor ____ (number) continued ---

Copy and fill-in this section as many times as necessary, marking if it refers to Donor 1, 2, etc.

Unrelated donor:

***HLA match type:**

***Method used for patient/donor HLA typing:** ☐ Molecular

(select all that apply)

☐ Serology

if molecular typing was done:

*Locus:	*Number of mismatches, allelic:			
A:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
B:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
C:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DRB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DQB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DPB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated

if serological typing was done:

*Locus:	*Number of mismatches, antigenic:			
A:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
B:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
C:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DRB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DQB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated
DPB1:	☐ 0 (match)	☐ 1	☐ 2	☐ Not evaluated

****Please enter the LABORATORY RESULTS WITH HLA TYPING into the database for all the donors***

ADDITIONAL ASSESSMENTS

(All diagnoses)

Are there Donor-Specific Antibodies (DSA) against HLA?

☐ No

☐ Yes: HLA loci the DSA are directed against:

☐ A	☐ DRB1
☐ B	☐ DQB1
☐ C	☐ DPB1
☐ Other; specify: _____	

Did the patient have desensibilisation therapy? ☐ No

(Haemoglobinopathies only)

☐ Yes; specify: _____

Are the DSA red cell antibodies?

(Haemoglobinopathies only)

☐ No

☐ Yes: **Are they cross-reacting with the red cells of the donor?** ☐ No
☐ Yes

☐ Not evaluated

☐ Unknown

PREPARATIVE REGIMEN

(All Diagnoses)

Preparative (conditioning) regimen given?

☐ No

☐ Yes

Drugs given? *(any active agent, including chemotherapy, monoclonal antibody, polyclonal antibody, serotherapy, etc.)*

☐ No

☐ Yes (provide details in the table on pages 10-11)

What type of conditioning regimen was used?

☐ Reduced intensity conditioning (RIC)

☐ Myeloablative conditioning (MAC)

PREPARATIVE REGIMEN continued

Specification and dose of the preparative regimen:

*(Report the total prescribed cumulative dose as per protocol. Multiply daily dose by the number of days; e.g. for Busulfan given 4mg/kg daily for 4days, total dose to report is 16mg/kg.
Report dosages and units only for individual drugs.)*

Chemotherapy	Dose	Unit
☐ Bendamustine	_____	☐ mg/m ² ☐ mg/kg
☐ Bleomycin	_____	☐ mg/m ² ☐ mg/kg
☐ Busulfan Route of administration: ☐ Oral ☐ IV ☐ Both Drug monitoring performed: ☐ No ☐ Yes; total AUC: _____ ☐ mg x hr/L ☐ micromol x min/L ☐ mg x min/mL	_____	☐ mg/m ² ☐ mg/kg
☐ Carboplatin Drug monitoring performed: ☐ No ☐ Yes; total AUC: _____ ☐ mg x hr/L ☐ micromol x min/L ☐ mg x min/mL	_____	☐ mg/m ² ☐ mg/kg
☐ Carmustine	_____	☐ mg/m ² ☐ mg/kg
☐ Cisplatin	_____	☐ mg/m ² ☐ mg/kg
☐ Clofarabine	_____	☐ mg/m ² ☐ mg/kg
Corticosteroids: ☐ Beclometasone ☐ Budesonide ☐ Dexamethasone ☐ Methylprednisolone ☐ Prednisolone	_____ _____ _____ _____ _____	☐ mg/m ² ☐ mg/kg ☐ mg/m ² ☐ mg/kg ☐ mg/m ² ☐ mg/kg ☐ mg/m ² ☐ mg/kg ☐ mg/m ² ☐ mg/kg
☐ Cyclophosphamide	_____	☐ mg/m ² ☐ mg/kg
☐ Cytarabine	_____	☐ mg/m ² ☐ mg/kg
☐ Daunorubicin	_____	☐ mg/m ² ☐ mg/kg
☐ Doxorubicin	_____	☐ mg/m ² ☐ mg/kg
☐ Epirubicin	_____	☐ mg/m ² ☐ mg/kg
☐ Etoposide	_____	☐ mg/m ² ☐ mg/kg
☐ Fludarabine	_____	☐ mg/m ² ☐ mg/kg
☐ Gemtuzumab ozogamicin	_____	☐ mg/m ² ☐ mg/kg
☐ Ibritumomab tiuxetan	_____	☐ mCi ☐ MBq
☐ Idarubicin	_____	☐ mg/m ² ☐ mg/kg

PREPARATIVE REGIMEN continued

Specification and dose of the preparative regimen:

(Report the total prescribed cumulative dose as per protocol. Multiply daily dose by the number of days; e.g. for Busulfan given 4mg/kg daily for 4days, total dose to report is 16mg/kg.)

Chemotherapy	Dose	Units
☐ Ifosfamide	_____	☐ mg/m ² ☐ mg/kg
☐ Imatinib	_____	☐ mg/m ² ☐ mg/kg
☐ Lomustine	_____	☐ mg/m ² ☐ mg/kg
☐ Melphalan	_____	☐ mg/m ² ☐ mg/kg
☐ Mitoxantrone	_____	☐ mg/m ² ☐ mg/kg
☐ Paclitaxel	_____	☐ mg/m ² ☐ mg/kg
☐ Anti-CD20 antibodies	_____	☐ mg/m ² ☐ mg/kg
☐ Teniposide	_____	☐ mg/m ² ☐ mg/kg
☐ Thiotepa	_____	☐ mg/m ² ☐ mg/kg
☐ Tositumomab	_____	☐ mCi ☐ MBq
☐ Treosulfan	_____	☐ mg/m ² ☐ mg/kg
☐ Other; specify*: _____	_____	☐ mg/m ² ☐ mg/kg ☐ mCi ☐ MBq

*Please consult the **LIST OF CHEMOTHERAPY DRUGS/AGENTS AND REGIMENS** on the EBMT website for drugs/regimens names

Total body irradiation (TBI):

- ☐ No
- ☐ Yes; Total prescribed radiation dose as per protocol (Gy): _____
- Number of fractions: _____
- Number of radiation days: _____

Total lymphatic irradiation (TLI):

- ☐ No
- ☐ Yes; Total prescribed radiation dose as per protocol (Gy): _____
- Number of fractions: _____
- Number of radiation days: _____

Total abdominal irradiation (TAI):

- ☐ No
- ☐ Yes; Total prescribed radiation dose as per protocol (Gy): _____
- Number of fractions: _____
- Number of radiation days: _____



EBMT Centre Identification Code (CIC): _____
Hospital Unique Patient Number (UPN): _____
Patient Number in EBMT Registry: _____

Treatment Type ☐ HCT
Treatment Date ____/____/____ (YYYY/MM/DD)

GvHD PREVENTIVE TREATMENT

GvHD preventive treatment:

- ☐ No
☐ Yes: indicate the drugs

☐ Abatacept
☐ Alemtuzumab
☐ Anti-Thymocyte Globulin (ATG) Anti-Lymphocyte Globulin Product name: _____ Origin: ☐ Rabbit Anti-Thymocyte Globulin (ATG) total cumulative dose (mg/kg): _____ ☐ Horse ☐ Unknown ☐ Other; specify: _____
☐ Basiliximab
Corticosteroids: ☐ Beclometasone ☐ Budesonide ☐ Dexamethasone ☐ Methylprednisolone ☐ Prednisolone
☐ Cyclophosphamide Post Transplant Cyclophosphamide (PTCY) cumulative dose (mg/kg): _____ ☐ Unknown Post Transplant Cyclophosphamide (PTCY) timing schedule: ☐ Single dose on day 3 ☐ Single dose on day 5 ☐ Doses on days 3 and 4 ☐ Doses on days 3 and 5 ☐ Other, specify: _____
☐ Cyclosporine
☐ Etanercept
☐ Everolimus
☐ Infliximab
☐ Methotrexate
☐ Mycophenolate mofetil
☐ Ruxolitinib
☐ Sirolimus
☐ Tacrolimus
☐ Other agent (in vivo); specify*: _____

*Please consult the **LIST OF CHEMOTHERAPY DRUGS/AGENTS AND REGIMENS** on the EBMT website for drugs/regimens names

END OF THE ALLO-HCT DAY 0 REPORT
proceed to form DISEASE STATUS AT HCT/CT/GT/IST